Avian Migrate® Goose & Bird Repellent

Read This First: Quick Start Guide



+1 (888) 707-4355 sales@aviancontrol.com aviancontrol.com

Avian Migrate®: What to Expect

Avian Migrate® works through a learning process, so it isn't an instant fix. Stick with it – the results are worth the patience. Our active ingredient, Methyl Anthranilate, creates an irritation to birds' taste and smell senses. Through consistent application, they learn to avoid your space and seek out more comfortable areas elsewhere.

Training Period (1-4 Weeks)

- **Frequency:** Apply 1-2 times weekly during this initial phase, ensuring even coverage across the turf birds are frequenting.
- **Birds May Still Visit:** It's normal to see birds after the first few applications. Remember, they are learning the association.
- **Observe Behavior:** Look for signs like birds tasting the grass and then leaving, or becoming more hesitant to linger in treated areas over time.
- **Consistency is Key:** Regular application during this period is key to effectively training the birds.



Once the birds learn to stay away, you may be able to lower application frequency – we recommend every couple of weeks, but keep an eye on bird activity and adjust as needed.



Unlike scare tactics birds can get used to, they don't acclimate to this mild irritation. Sticking with maintenance sprays is key to reinforcing the message, especially for any new birds exploring the area.

Application Tips

Timing is Key

For best results, begin spraying *before* geese establish nests. Early intervention is generally more effective.

Apply as a Fine Mist

Adjust your sprayer nozzle to create a fine, even mist over the grass/turf.

Reapply After Mowing or Heavy Rain

Re-treat the area after each mowing or significant rainfall (1-2in.), as these can reduce effectiveness.



Avian Migrate® Goose & Bird Repellent

Read This First: Mixing Guide



+1 (888) 707-4355 sales@aviancontrol.com aviancontrol.com

Avian Migrate®: Mixing Instructions

Temperature Note

Avian Migrate® may thicken or "gel" below 50°F (10°C). If it does, store the container at room temperature for a day before use.

Shake or Stir Well

Always shake or stir the Avian Migrate® container thoroughly before each use.

Mixing Chart

| | Application Area | Avian Migrate® | Water | lnvisiDye™ (Optional) |
|-------------|----------------------|-------------------|--------------------------------------|--------------------------|
| Residential | ¼ Acre (approx.) | 8 oz | Fill to 1 gallon mark | ½ oz |
| Residential | ½ Acre (approx.) | 16 oz | Fill to 2 gallon mark | 1 oz |
| Commercial | 1 Acre or Greater | 32 oz per Acre | Enough water for full coverage | 2 oz per Acre |



Boost Effectiveness with InvisiDye®

Consider adding InvisiDye™ UV Marker (sold seperately) to your spray mix. Birds can see this visual marker (invisible to humans), strengthening the repellent effect and training them to spot and avoid treated areas before they land.