

Avian Flu Protocol

Protect Your Poultry Operation with Avian Migrate® Goose & Bird Repellent



The Avian Flu Crisis

Avian flu outbreaks have devastated poultry operations nationwide, with over 8.3 million birds lost in recent months. When aquatic birds like ducks and geese visit your property, they contaminate areas through droppings and secretions, spreading this highly contagious virus. For producers, this means catastrophic flock losses, costly culling, and months of suspended production. A single wild bird can bring this virus to your facility, requiring complete depopulation and threatening your entire operation's survival.

Our Simple Solution

Avian Migrate® Goose and Bird Repellent creates a powerful barrier to wild birds. This EPA-registered, scientifically proven formula works through mild sensory irritation that birds find unpleasant but causes no harm. Birds react immediately to the treatment and learn to avoid your property within 1-3 weeks of consistent application.

Unlike traditional deterrents birds quickly ignore, Avian Migrate® creates lasting behavior change. Birds never develop immunity to the formula. When paired with InvisiDye® UV Marker, this complete system transforms your property into a permanent "no-fly zone."

What You'll Need

-  **Avian Migrate® Goose and Bird Repellent**
-  **InvisiDye® UV Marker**
-  **Sprayer equipment**

How It Works

Avian Migrate® uses food-grade ingredients that irritate birds' trigeminal nerves (pain receptor) when they contact treated areas. This harmless but unpleasant sensation teaches them to avoid your property.

Birds see differently than humans do. InvisiDye® UV Marker adds a visual warning in the 200-400nm spectrum that only birds can see. This powerful combination creates both sensory and visual deterrents, accelerating the learning process as birds immediately connect the unpleasant feeling with the visual marker.

Mixing Guide

Choose your treatment area size:

1/4 Acre

- 1** 6.5 oz Avian Migrate
- 2** ½ oz InvisiDye UV Marker
- 3** Fill to 1 gallon with water

1/2 Acre

- 1** 13 oz Avian Migrate
- 2** 1 oz InvisiDye® UV Marker
- 3** Fill to 2 gallons with water

1+ Acre

- 1** 26 oz/acre Avian Migrate
- 2** 2 oz/acre InvisiDye
- 3** Enough water to cover area

Application Steps

- 1** Shake the Avian Migrate® container vigorously before opening
- 2** Add Avian Migrate® to your sprayer
- 3** Add InvisiDye® UV Marker
- 4** Fill with water and stir or shake again thoroughly
- 5** Apply a light mist 300ft around your facility and all grass areas you want to protect
Note: Just wet the grass – no need for runoff

Maintenance Schedule

- **First month:** Apply once weekly for three weeks
- **Second month:** Apply once every two weeks
- **Ongoing:** Apply once monthly to maintain protection

Application & Mixing

Best Practice

Water Quality is Key	For all liquid applications (Avian Control® & Avian Migrate®), the water used for mixing must not be acidic (below pH 7). Test your water source and use a pH buffering agent to adjust it to a neutral or slightly alkaline range before adding the repellent.
Permits & Licensing	If charging for a service, check with your state Department of Agriculture or other appropriate governmental authority regarding any local permits required for commercial application of non restricted use biopesticides.
Consistency	Consistent application according to the recommended schedule is crucial for long-term success.
Agitation	Shake well or ensure sprayer tanks have internal agitation for a uniform solution.
Surfactant Use	A surfactant, such as dish soap, may be used with Avian Control® and Avian Migrate® if the spray system does not agitate the solution or to ensure uniform coverage.



Made in the USA with FDA GRAS (Generally Regarded as Safe) ingredients, our solutions are suitable for use around your family, pets, vegetation, and waterways when used as directed.

[Contact An Expert](#)

[Shop Now](#)

+1 (888) 707-4355 | AvianControl.com | sales@aviancontrol.com