

Hospitality & Food Processing Protocol

Preserving Guest Experience & Operations



Patios & Dining Areas

Maintain a bird-free zone in semi-enclosed spaces where guests gather, such as restaurant patios, outdoor dining areas, and covered seating.

Avian Fog Force® TR

Avian Fog Force® TR is an automated, time-release aerosol system designed for continuous bird deterrence in interior, semi-enclosed, and exterior spaces.

Application

Place programmable dispensers towards bird activity, at least 5 ft from a wall to ensure product spread. The unit works silently, releasing a fine, harmless repellent mist at programmable intervals. Each aerosol canister can treat up to 42,000 cubic feet.

Frequency

To start, we recommend using the highest frequency, 7.5 minutes, during daytime. You may be able to adjust to a lower frequency after 1 month. Monitor bird pressure and increase frequency if any bird issues continue.



Maintenance Schedule

Each aerosol canister lasts from 30 to 60 days, depending on setting. Dispensers are powered by two "D" batteries that last up to six months. Replace as needed.

Lawns & Open-Air Venues

Address nuisance birds (like geese) creating widespread messes and detracting from the experience on resort lawns, athletic fields, wedding gardens, and fairways.

Avian Migrate® + InvisiDye® UV Marker

Avian Migrate is an EPA Registered, liquid bird repellent for large, open areas like resort lawns, wedding gardens, athletic fields, and fairways.

Application

Apply Avian Migrate® to turf areas, using a fine spray mist that covers the entire area. Do not spray to the point of runoff. For use near lakes or streams, start application on grass/turf closest to the body of water. Over spray into water is permitted.

Frequency

Apply 1-2 times weekly during this initial phase, ensuring even coverage across the turf birds are frequenting. Once the birds learn to stay away, you may be able to lower frequency to twice monthly applications depending on bird activity.



Maintenance Schedule

Apply at 7 to 10-day intervals or after every mowing. Re-application is suggested after significant rainfall (2 or more inches). Do not mow treated area for several days after application.

Targeted Protection

Prevent bird roosting and nesting on ledges, signage, HVAC units, and other infrastructure, reducing corrosive damage and unsanitary conditions. Crucial for maintaining hygiene in food processing plants and preventing contamination.

Avian Control®

Apply Avian Control® directly to these surfaces to create a deterrent shield. Use targeted spray treatments or thermal fogging as appropriate for the surface and area.

Spray Application

Dilute 32 oz. Avian Control® with water at a ratio of 1 part product to 10-20 parts water or in sufficient water for the application equipment to be used. For best results, add 1 oz. of liquid dish soap per gallon of solution.

Fogging Application

Add Avian Control® concentrate directly to fogger - do not dilute. Use a Thermal fogger for reaching high into ceilings and rafters and a ULV fogger for all other applications



Frequency

Initial treatments should be 5 to 7 days apart to establish repellency and behavior change.

Maintenance Schedule

Re-treatments should be done weekly or if new birds begin to re-occupy. Once the birds learn to stay away, you may be able to lower frequency to once every two weeks. Observe activity and adjust as needed.

Application & Mixing

Best Practice

Water Quality is Key	For all liquid applications (Avian Control® & Avian Migrate®), the water used for mixing must not be acidic (below pH 7). Test your water source and use a pH buffering agent to adjust it to a neutral or slightly alkaline range before adding the repellent.
Agitation	Vigorously shake the container before opening. If tank mixing, ensure holding tanks have internal agitation for proper mixing.
Surfactant Use	A surfactant, such as liquid dish soap, may be used with Avian Control® if the spray system does not agitate the solution or to ensure uniform coverage.
Consistency	Consistent application according to the recommended schedule is crucial for long-term success.
Light Mist	When spraying Avian Control® on structures, use a light mist to prevent the potential for staining. Spot test overnight to ensure no risk of staining your surface.

Preserve the Perfect Guest Experience

Our bird deterrence solutions are designed to work discreetly and effectively, protecting your guests and your brand by ensuring your beautiful spaces remain welcoming and bird-free.

[Contact an expert](#)

[Shop Now](#)